

6.5 INSPECTION SCHEDULE

Envelope Hours at inspection date:	
Envelope hours at end of preceding calendar year	
Applicable AD or SB:	
Maintenance Programme Ref:	
Document Check:	

6.5.1 Envelope Structure

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)	
Crown Line	Inspect condition		
Crown Ring	Inspect for damage and Corrosion		
Vertical Load Tapes	Inspect turnbacks at crown ring		
	Inspect joints between vertical tapes and any tapes overlying the parachute or rip panel		
	Inspect joints between vertical tapes and the top edge of the envelope		
	Inspect tapes		
	Inspect joints between load tapes and flying cables		
	Inspect load tape protectors		
Horizontal Load Tapes	Inspect parachute edge tape		
	Inspect horizontal load tapes		
	Inspect base tape		
Fabric Panels	Inspect for damage, porosity, overheating or weakness		
	Inspect joints and stitching		
Flying Cables	Inspect for damage, annealing, maillon links for security (if fitted)		
Grab Test	Check and Record, All colours tested (Repeat each annual inspection >250hr or at inspectors discretion). Minimum Strength= 30lb (13.6kg). Refer to Section 6.7		
Workpack No.	CN	Inspection Date	Inspectors Signature/No.

6.5.2 Deflation System

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)
Fabric Panels	Inspect for damage, porosity, overheating or weakness (especially edges)	
	Inspect joints and stitching	
Sewn Loops	Inspect for damage, wear, security (both on the deflation panel and envelope)	
Centralising Lines	Inspect for damage wear, security of knots	
Shroud Lines	Inspect for damage wear, security of knots	
Top strings	Inspect for damage wear, security of knots	
Control Lines	Inspect for damage wear, security of knots	
Control Line Attachments	Inspect for damage, wear, security (both on the deflation panel and envelope)	
Control Line Pulleys	Inspect for wear, free running, contamination, security of attachment	
Maillon Links	Inspect for Security, damage, heatshrink complete and undamaged	
RDS/Q-Vent Pulleys	Inspect for wear, free running, contamination, security of attachment	
Transparent Panels	Inspect the window material for tears or cracking	
	Inspect the adhesive tape fitted to the edge of the window	
Guide Rings	Inspect for damage, wear, security of attachment	
Riplocks/ Capewells	Inspect Riplocks/Capewells and check installation/function	
Arming Shackle	Inspect the condition of the quick release shackle and check that it operates smoothly (Lock Top only)	
Grab Test	Check and Record, All colours tested (Repeat each annual inspection >250hr or at inspectors discretion). Minimum Strength= 30lb (13.6kg). Refer to Section 6.7	
Parachute Edge grab Test	Cameron /T&C Envelopes only (Refer to 6.Check and Record, All colours tested (>250hr or at inspectors discretion) between the edge of the panel and the Velcro tabs. Minimum Strength= 21lb (9.5Kg)	

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------

6.5.3 Turning Vents/Side Dump

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)
Fabric Panels	Inspect for damage, porosity, overheating or weakness (especially inside the envelope)	
	Inspect joints and stitching	
Free Tapes	Inspect condition of stitching at ends of tapes	
Pulling Triangles	Inspect condition of stitching	
Control Lines	Inspect for damage wear, security of knots	
Control Line Attachments	Inspect for damage, wear, security (both on the deflation panel and envelope)	
Control Line Pulleys	Inspect for wear, free running, contamination, security of attachments	
Shock Cord	Inspect condition, check operation	
Vent Line Stop	Inspect condition, correctly fitted.	

6.5.4 Envelope Temperature Measurement

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)
Temperature Flag	Check temperature streamer and melting link are securely attached	
Tempilabel	Inspect the Tempilabel. Record the Max. Temperature indicated in the logbook. If $\geq 121^{\circ}\text{C}$ Perform overheat inspection	

6.5.5 Test Inflation (if required)

A test inflation, as described in 6.9.4 Test Inflation After Repair, is required for Special Shape Balloons but optional for conventionally shaped balloons.

System	Check / Inspect / Record	Pass/Fail (✓)/(x)
Deflation System	Inspect Seals, Functional Check	
Turning Vents	Inspect Seals, Functional Check	
Dumps	Inspect Seals, Functional Check	

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------

6.5.6 Grab Test Results**6.5.6.1 Grab Test Results-Envelope**

Colour	Result	Colour	Result

6.5.6.2 Grab Test Results-Deflation System

Colour	Result (panel/edge)	Colour	Result (panel/edge)

Notes:

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------

6.5.7 Burner System

Burner Type:		Part No.:		
Burner Serial No.:		Frame Part No:		
Serialised Parts	1	2	3	
Coil				
Block				
Component	Check / Inspect / Record			Pass/Fail (✓)/(x)
Burner Frame	Inspect welds for cracking			
	Inspect tubes for distortion/deformation/cuts/gouges			
	Inspect frame for security of fasteners (heat shields, flexi corners)			
	Inspect frame lugs for wear, cracking.			
	Inspect general condition (corrosion, heatshields)			
Gimballing	Check stiffness, security of fittings			
Height adjustment	Check Function, Leaks. Check SB19			
Karabiners	Inspect for wear, corrosion, correct function, correct type			
Burner System	Leak Check (including manifolds)			
Hoses	Inspect all Hoses, check dates (if applicable)			
Pressure Gauges	Check Pressure Gauge reads zero when no pressure applied, lens present			
Pilot Valves	Check Shut off, free movement, Correct Function, lubricate if necessary			
Whisper Valves	Check Shut off, free movement, Correct Function, lubricate if necessary			
Main Valves	Check Shut off, free movement, Correct Function, lubricate if necessary			
Crossflow Valve	Check Shut-off, correct operation, leakage			
Jets	Check Security of Jets, Tighten or Replace as necessary			
Coils	Check for damage, distortion, security of fasteners			
Fuel Manifolds	Check Correct Type, Inspect condition, check dates (if applicable)			
Jetstream	Jetstream Burner Mod 650 stem fitted or SB23 inspection carried out			
Workpack No.	CN	Inspection Date	Inspectors Signature/No.	

6.5.8 Basket

Basket Type:			
Part No.:		Serial No.:	

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)
Basket wires	Inspect for damage	
Basket Frames	Inspect welds for cracking	
	Inspect tubes for distortion/deformation	
Weave	Inspect for damage, deterioration, completeness	
Rawhide	Inspect for damage, deterioration, completeness	
Floor	Inspect for damage	
Runners	Inspect for damage, wear, security of attachment	
Rope Handles	Inspect for damage security of attachment	
Cylinder Straps	Inspect for damage, deterioration, correct specification, No. of Straps ()	
Pilot Restraint Anchor	Inspect for damage, wear, security of attachment	
Support Rods	Inspect for damage, wear, cracking	
Trim	Inspect for damage, deterioration, completeness	

6.5.8.1 Basket Ancillary Equipment

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)
Fire Extinguisher	Check Type, maintained in accordance with manufacturers instructions	
Launch Restraint	Inspect for damage, deterioration, security of fittings, correct operation	
Pilot Restraints	Inspect for damage, deterioration, security of fittings, correct operation	
Instruments	Functional Check (if fitted)	

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------

6.5.9 Fuel Cylinders

No.	Man./Part no.	Serial No.	Initial Test date (Manufacture Date)	Current Test Date	PRV Date
1					
2					
3					
4					
5					
6					

Component	Check / Inspect / Record	Pass/Fail (✓)/(x)					
		1	2	3	4	5	6
Cylinder	Check, Periodic inspection for each cylinder is valid (date)						
	Inspect for damage, corrosion						
Liquid Valve	Inspect for damage, corrosion, correct operation						
	Inspect self seal for correct operation, Lubricate/replace as required. SB16/SB17						
	Inspect O-ring seals, Lubricate/replace as required						
Pressure relief valve	Check, Date does not exceed life limit, single PRV fitted						
	Inspect for contamination, corrosion						
Fixed Liquid Level Gauge	Inspect for damage, corrosion, correct operation						
	Inspect Fuelsafe for correct operation/leakage (if fitted)						
Contents Gauge	Inspect for damage, corrosion, freedom of movement						
Vapour Valve	Inspect for damage, corrosion, correct operation (including regulator)						
	Inspect Quick Release Coupling for correct operation, sealing						
Padded Cover	Inspect for damage						
Assembly	Inspect, Leak test all pressure holding joints using leak detector						
Assembly	Functional Test						

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------

6.5.10 Other Manufacturers Component Data

For details of the correct continued airworthiness data to be used refer to the Maintenance Programme (Refer to Section 6.5)

Append any additional completed inspection data to this report referencing the Workpack Number.

6.5.10.1 Basket

Manufacturer:	
Type / Part No.:	
Serial No.:	
SB/AD:	
Inspection complete:	
Notes:	

6.5.10.2 Burner

Manufacturer:	
Type / Part No.:	
Serial No.:	
SB/AD:	
Inspection complete:	
Notes:	

6.5.10.3 Cylinders

Manufacturer(s):	
Type / Part No.(s):	
Serial No.(s):	
SB/AD:	
Inspection complete:	
Notes:	

Workpack No.	CN	Inspection Date	Inspectors Signature/No.
--------------	----	-----------------	--------------------------