



The technical content of this document is approved under the authority of DOA ref. UK.21J.0140 (C880)

8.21 SPECIAL BASKETS

8.21.1 GENERAL INFORMATION

This supplement shall be inserted in the Flight Manual, in Section 8: 'Supplements' with the revisions record sheet amended accordingly.

Information contained herein supplements, or in the case of conflict, supersedes that contained in the basic Flight Manual. For Limitations, Procedures, and Performance Data not contained in this supplement, consult the basic Hot Air Balloon Flight Manual.

Issue 38 of this supplement consists of eight pages. Supplement 7.21 to Maintenance Manual Issue 10 is required to ensure continued airworthiness where baskets are fitted with Easy Access doors.

8.21.2 LIMITATIONS

No change.

8.21.3 EMERGENCY PROCEDURES

No change.

8.21.4 NORMAL PROCEDURES

8.21.4.4 TAKE-OFF

8.21.4.4.1 Pre-Take-off Checks

Pre-Take-Off Checklist (Additional)

Basket

Basket Door: Upper and lower catches secure,

(where fitted) basket trim secure.

OR

Locking pin inserted through all six locking loops (three

pairs). Pin restraining lanyard attached.

8.21.5 WEIGHT CALCULATIONS

No change.



8.21.6 BALLOON AND SYSTEMS DESCRIPTION

8.21.6.5.6 Special Baskets

In addition to standard baskets, various special (one-off, customer requested modifications or out of production) basket designs are available. Details of the applicability and usage of these baskets is given in Table 6.

8.21.6.5.6.1 Easy-Access Basket Doors

To facilitate the entry/exit of passengers/cylinders, baskets can be equipped with a door.

The door is either secured by two catches (at the upper and lower frames); or by a metal locking pin inserted vertically through three pairs of locking loops at the door and door frame.



Easy-Access Basket

8.21.7 BALLOON MAINTENANCE, HANDLING AND CARE

No change.

8.21.9 EQUIPMENT LIST

8.21.9.1.1 Burner Frame Compatability

Table 6 lists the compatible burner load frames for each basket type. The burner load frames are divided into two categories:

Applicable Burner Frames (specific):

These are frames design specifically to fit a given basket type.

Applicable Burner Frames (with Assembly check):

These are structurally and dimensionally similar frames which have been designed for similar baskets that incorporate minor design changes (e.g. additional restraint lugs, offset crossbar, changed rod socket angles etc.). These frames may only be combined with the listed basket after an assembly check by a competent person (normally an inspector).

Page 2 Issue 38 22 June 2022





Table 6: Baskets

Basket Cat.	Drawing Number	Basket Description*	Applicable Cylinders	Applicable Burner Frames (specific)	Applicable Burner Frames (with Assembly check)	
В	CB3018	VOYAGER	1a, 1, 2	CB871,CB855		
В	CB3116	VOYAGER 11	1a, 1, 2	CB2235, CB2358, CB2533, CB2859		
В	CB3380	Lite	1a, 1	CB2620		
В	CB3096	Compact	1a, 1, 2	CB855, CB871, CB925		
В	CB3651	C-60LW	1a, 1, 2, 3	CB855, CB871, CB935, CB2203(Fl), CB2226(Fl), CB2227(Fl)	CB2203, CB2226, CB2227	
С	CB3144			CB855, CB871, CB925, CB2203(Fl), CB2224(Fl), CB2231(Fl), CB2598 (Fl), CB2643, CB2665, CB2857(Fl), CB2874	CB2203, CB2224, CB2231, CB2598, CB2650, CB2652, CB2857, CB2995, CB8810, CB8810, CB8811, CB8820, CB8821, CB8864, CB8894, CB8902, CB8903, CB8905, Concept (CB994, CB2000), BA-152-A-002 (LBL)**	
С	CB301-2		1a, 1, 2, 3			
С	CB301-9	56-65 O Flat				
С	CB814					
С	CB660					
С	CB3449	56-65 H O				
С	CB994	C-60		CB855, CB871, CB925, CB2203(Fl), CB2224(Fl), CB2231(Fl), CB2598 (Fl),	CB2203, CB2224, CB2231, CB2598, CB2857, CB8810, CB8811, CB8820, CB8821, CB8864,CB8894, CB8902, CB8903, CB8905	
С	CB3267	C-60 "Dante"	1a, 1, 2, 3	CB2650, CB2652, CB2857(Fl), CB2995, Concept (CB994,CB2000),		
С	CB3649	Sportlite 2		BA-152-A-002 (LBL)**		
С	CB3699	Sportlite 2	1a, 1, 2, 3	CQ2087		
С	CB3455	C-60 (Special)	1a, 1, 2, 3	CB2956		
С	CB8000	56-65 O				
С	CB8005	56-65 H O				
С	CB8010	56-65 O		CB8810, CB8811, CB8818, CB8820, CB8821, CB8864,CB8894, CB8902, CB8903, CB8905,	CB2203, CB2224, CB2231, CB2598,CB2650, CB2652, CB2857, CB2995, Concept (CB994,CB2000), BA-150-A-001 (LBL)**, BA-151-A-001 (LBL)**, BA-152-A-002 (LBL)**	
С	CB8016	56-65 H O	1a, 1, 2, 3			
С	CB8047					
С	CB8054	56-65 O				
С	CB8075					
С	CB3327	Voyager III	1a, 1, 2			
С	CB3448	Voyager III-H				
D	CB3033	C-80				
D	CB3652	Sportlite 4				
D	CB3665	Sportlite 3		CB855, CB871, CB925, CB2203, CB2224, CB2231, CB2598, CQ2018, CQ2028	CB2643, CB2650, CB2652, CB2665, CB2857, CB2874, CB8810, CB8811, CB8820, CB8821, CB8864,CB8894, CB8902, CB8903, CB8905	
D	CB301-3					
D	CB301-4	77-84 0	12 1 2 2			
D	CB3046		1a, 1, 2, 3			
D	CB3093	77-84 H O				
D	CB3497	77-84 H O				
D	CB3173	77-84 0				
D	CB3572	77-84 H O				
D	CB869	77-84 0				
D	CB8021				CB2203, CB2224, CB2231, CB2598,CB2650, CB2652, CB2857, CB2995, Concept (CB994,CB2000), BA-150-A-001 (LBL)**, BA-151-A-001 (LBL)**, BA-152-A-002 (LBL)**	
D	CB8048		1a, 1, 2, 3	CB8810, CB8811, CB8820, CB8821, CB8864,CB8894, CB8902, CB8903, CB8905		
D	CB8055	77-84 0				
D	CB8056					
D	CB8062					
E E	CB947 CB3214	90-105 H O 90-105 O	1a,1,2,3	CB855, CB871, CB925, CB2203 (FL), CB2224 (FL), CB2231 (FL), CB2302 (FL), CB2312 (FL), CB2458 (FL), CB2598 (FL), CB2857 (FL), CQ2018 (FL), CQ2098	CB2203, CB2224, CB2231, CB2302, CB2312, CB2458, CB2598, CB2643, CB2650, CB2652, CB2665, CB2857, CB2874, CB8810, CB8811, CB8820, CB8821, CB8864, CB8894, CB8902, CB8903, CB8905, CQ2018, CQ2027	

^{*} For key see page 7





cr Frames c check) . CB2652, CB8810, . CB8864, CB8894, . CQ2018, CQ2027		
CB8864, CB8894, CQ2027		
CB8864, CB8894, CQ2027		
, CQ2018, CQ2027		
CB2598, CB2643,		
CDZ03/. CD/0/4		
CB2650, CB2652, CB2665, CB2857, CB2874 CB8810, CB8811, CB8820, CB8821 CB8864		
, CB8905, CQ2018		
CB2203, CB2224, CB2231, CB2598, CB2650,		
CB2652, CB2857, CB2995		
, CB2598,CB2650,		
, CB2995		
CB2364, CB2365,		
CB2458, CB2464,		
, CB2598,CB2650, , CB2995		
, CB2598,CB2650, , CB2995 CB2365, CB2394, , CB2464, CB2880		
, CB2995 CB2365, CB2394,		
, CB2995 CB2365, CB2394,		

^{*} For key see page 7

Page 4 Issue 38 22 June 2022





Table 6: Baskets (continued)

Table 6:	Baskets ((continued)		
Basket Cat.	Drawing Number	Basket Description*	Applicable Cylinders	Applicable Burner Frames (specific)
G	CB3231			CD/07 CD0FF CD074 CD02F CD2202 CD220F CD2222 CD22/4 CD2204
G	CB3135	1		CB697, CB855, CB871, CB925, CB2293, CB2295, CB2323, CB2364, CB2394
G	CB3150	1		CB2365, CB2203
G	CB3153	120P	1a, 1, 2, 3	CB2203, CB2231, CB871,CB855
G	CB3541	1		CB2468, CB2470
G	CB3555	1		CB2468, CB2470
G	CB3009			CB855, CB925, CB2309, CB2312
G	CB3007	1		CB697, CB2293, CB2295, CB2364
G	CB3025	120 T	12 1 2 2	CB2078 (FL), CB2102(FL), CB2273(FL), CB2365(FL), CB2435(FL), CB2870(FL), CB2880(FL), CQ2055(FL)
G	CB3056	120 T	1a, 1, 2, 3	CB855, CB925
G	CB3068			CB2174
G	CB3130			CB855, CB925, CB2293, CB2295
Н	CB3130			CD033, CD723, CD2273, CD2273
H	CB3000	-		CB983
<u>п</u>	CB3000 CB3007	-		CD763
<u>п</u>	CB3007 CB3091	-		CD407 CD2474 CD2079 CD2402 CD2245 CD2425 CD2540
<u>п</u> Н	CB3091 CB3340] 140T	1a, 1, 2, 3	CB697, CB2174, CB2078, CB2102, CB2365, CB2435, CB2540 CB2921
Н	CB3340 CB8201	- 1401	1a, 1, 2, 3	CB8824, CB8825, CB8831
Н	CB3537			CB2648, CB2470
H	CB3537			CB2046, CB247/0 CB983, CB2263, CB2264
H	CB3000			CB983, CB2263, CB2264, CB2470
	CB302-1			CB430, CB2100
l	CB943	1		CB2415, CB2445
	 	-		·
l	CB3175	1		CB2415, CB2445
l	CB8202	160-180 T	1a, 1, 2, 3	CB2339, CB8827, CB8833, CB8841
I	CB8244	<u> </u>		CB8826, CB8836
I	CB8203	_		CB2339, CB8827, CB8833, CB8841
I	CB8280	_		CB2339, CB8827, CB8833, CB8841
1	CB8245			CB8826, CB8836
1	CB755	160-180 TT	1a, 1, 2, 3	CB2420, CB2411, CB2261
ı	CB8282	8 Pax TT	1a, 1, 2, 3	AO/BF 1 /3200/A
I	CB802	180-210 T	1a, 1, 2, 3	CB803
1	CB862		1a, 1, 2, 3	CB2268, CB2881, CB2267
ı	CB3187	1		CB2415
1	CB3505	160-180 T		CB2634
J	CB302-2	1		CB726, CB2591
J	CB624			CB622
J	CB860	180-210 T	1a, 1, 2, 3	CB2888, CB2262
J	CB000 CB977			CB726
	 		1a, 1, 2, 3	
J	CB8232	180-210 TT		CB8826, CB8832, CB8840
J	CB8247	1	, -, -, -	CB8826, CB8832, CB8840
J	CB8257	4	1a, 1, 2, 3	CB8828, CB8836
J	CB8260	210 T		CB8828, CB8836
J	CB3027	2101		CB2097
J	CB3585-1			CQ2024
J	CB3073			CB2420, CB2411, CB2261
J	CB3232	180-210 TT	1a, 1, 2, 3	CB2420, CB2411, CB2261
J	CB3084	1	··, , - , ·	CB2420, CB2411, CB2261
J	CB8204		1a, 1, 2, 3	CB8827, CB8833, CB8828, CB8836
J	CB8205	180-210 T		CB8827, CB8833, CB8828, CB8836, CB2475

^{*} For key see page 7





Table 6: Baskets (continued)

Basket Cat.	Drawing Number	Basket Description*	Applicable Cylinders	Applicable Burner Frames (specific)
K	CB3737	140 Open	1a, 1, 2, 3	CQ2111
K	CB3408	210TT	1a, 1, 3, 3	CQ2108
L	CB3020			CB726
L	CB3075	250 T	1a, 1, 2, 3	CB2190
L	CB3196]		CB2419
L	CB3250	250 T	1a, 1, 2, 3	CB2505
L	CB3257	250 T	1a, 1, 2, 3	CB2505
L	CB3274		1a, 1, 2, 3	CB2528
L	CB3333	210-250 T	1a, 1, 2, 3	CB726, CB2262
L	CB3625	1	1a, 1, 2, 3	CB2281
L	CB3305	250 T	1a, 1, 2, 3	CB2505
L	CB3543	250 T	1a, 1, 2, 3	CB726, CB2262, CB2888
M	CB3017			CB970
M	CB3097			CB2197
M	CB3139			CB2050, CB2250, CB2283,CB2303
M	CB3157	250 TT	1a, 1, 2, 3	CB2382
M	CB3157			CB2050, CB2250, CB2283,CB2303
M	CB3642			CB2050, CB2250, CB2283,CB2303
M	CB3545			CB2613, CB2614
M	CB3545 CB3525	250TTS	1a, 1, 2, 3	CB750, CB2261, CB2371, CB2411, CB2420
	CB3525 CB3528	250115	1a, 1, 2, 3	
M		250.77	4- 4-2-2	CB2613, CB2614
M	CB8207	250 TT	1a, 1, 2, 3	CB8832, CB8835
M	CB8208	250 TT	1a, 1, 2, 3	CB8842, CB8843, CB8840
M	CB8235	250 77 1		CB8832, CB8835, CB8840
M	CB8270	250 TT L	1a, 1, 2, 3	CB8832, CB8835, CB8840
M	CB8229			CB8832, CB8835, CB8840
N	CB3182	275 TT Os	1a, 1, 2, 3	CB2272
N .	CB3209	275 TT L	1a, 1, 2, 3	CB2427, CB2450
0	CB3077	300 TT S	1a, 1, 2, 3	CB2191
0	CB3032	300 TT S	1a, 1, 2, 3	CB2050, CB2250, CB2283,CB2303
0	CB3079	300-315 TT	1a, 1, 2, 3	CB2192
0	CB3120	300-315 TT	1a, 1, 2, 3	CB2144
0	CB3100	300-315 TT	1a, 1, 2, 3	CB2144
0	CB3394	300TT S	1a, 1, 2, 3	CB2447, CB2269
0	CB3121	300 TT S	1a, 1, 2, 3	CB2447
0	CB3134	300 TT	1a, 1, 2, 3	CB2144, CB2271
0	CB3167	300-315 TT	1a, 1, 2, 3	CB2390
0	CB3225	300 TT	1a, 1, 2, 3	CB2457
0	CB8209	300 TT	1a, 1, 2, 3	CB8842, CB8843
0	CB3482	350 TT	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
0	CB8240	350 TT L	1a, 1, 2, 3	CB8842, CB8843
0	CB3670	12/16 Pax TTS	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
Р	CB3707	20 Pax TT	1a, 1, 2, 3	CB2144, CB2259, CB2271
Р	CB3194	400 TT	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
Q	CB3219			CB2192, CB2274, CB2418, CB2562
Q	CB3224	400-410 TT	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
Q	CB3236	1		CB2192, CB2274, CB2418, CB2562
Q	CB3412	425 TT	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
Q	CB8252	400 - 410 TT	1a, 1, 2, 3	CB8842, CB8843
Q	CB3355	450TTS	1a, 1, 2, 3	CB2192,CB2274, CB2418, CB2562
Q	CB3671	16/20 Pax TTS	1a, 1, 2, 3	CB2192, CB2274, CB2418, CB2562
			, , -, -	, - ,,

Page 6 Issue 38 22 June 2022

FLIGHT SMANUAL SMANUAL

Section 8: Supplements



Basket Cat.	Drawing Number	Basket Description*	Applicable Cylinders	Applicable Burner Frames (specific)
Q	CB3720	16/20 Pax TT Wide	1a, 1, 2 ,3	CQ2099
R	CB3672	20/24 Pax TTS	1a, 1, 2, 3	CQ2064, CB2957
R	CB3700	28 Pax TTS	1a, 1, 2, 3	CQ2090
R	CB3501	500TTS	1a, 1, 2, 3	CB2957, CQ2064
R	CB3640	500TTS	1a, 1, 2, 3	CD27311, CQ2004
R	CB3490	600TTS	1a, 1, 2, 3	CB2953

NOTE: Baskets have their part number and serial number engraved on one of the

stub tubes where the burner support rods locate. For further information

contact Cameron Balloons Ltd.

* Key: H= Hi-Spec; L= Asymmetric pilot compartment; O = Open; P= single partition;

T = T partition; TT = double T partition; Os = offset; D = designed for use in

Germany; S = Safari (tough terrain); W = wheelchair access;

Fl = Flexible corner socket version only

Burner Frames: ** LBL= Lindstrand. Burner frame part numbers may be appended -1,-2 etc according to detail differences such as fixed/flexi corner brackets.





Intentionally Blank Page

Page 8 Issue 38 22 June 2022